



KANSAS

SUMMARY

- Kansas is in the red zone for cases, indicating 101 or more new cases per 100,000 population, with the 12th highest rate in the country. Kansas is in the red zone for test positivity, indicating a rate at or above 10.1%, with the 4th highest rate in the country.
- Kansas has seen stability in new cases and a decrease in test positivity.
- The following three counties had the highest number of new cases over the last 3 weeks: 1. Sedgwick County, 2. Johnson County, and 3. Shawnee County. These counties represent 42.0% of new cases in Kansas.
- 92% of all counties in Kansas have moderate or high levels of community transmission (yellow, orange, or red zones), with 90% having high levels of community transmission (red zone).
- During the week of Nov 9 - Nov 15, 34% of nursing homes had at least one new resident COVID-19 case, 57% had at least one new staff COVID-19 case, and 9% had at least one new resident COVID-19 death.
- Kansas had 669 new cases per 100,000 population, compared to a national average of 356 per 100,000.
- Between Nov 14 - Nov 20, on average, 167 patients with confirmed COVID-19 and 123 patients with suspected COVID-19 were reported as newly admitted each day to hospitals in Kansas. This is an increase of 32% in total COVID-19 hospital admissions.

RECOMMENDATIONS

- Referring to the national profiles in the back of the packet, there is aggressive, rapid, and expanding community spread across the country, reaching over 2,000 counties. In states with aggressive mitigation, we are beginning to see the impact of that mitigation despite the cooling weather. We are also seeing stabilization in many European countries that implemented strong public and private mitigation, but preserved schooling. However, in many areas of the country, mitigation efforts are inadequate or too recently implemented to see a significant impact. All states and all counties must flatten the curve to sustain the health system for both COVID and non-COVID emergencies.
- The silent community spread that precedes and continues to drive these surges can only be identified and interrupted through proactive, focused testing for both the identification of asymptomatic and pre-symptomatic individuals. This must be combined with significant behavior change of all Americans. Ensure masks at all times in public, increase physical distancing through significant reduction in capacity in public and private indoor spaces, and ensure every American understands the clear risks of ANY family or friend interactions outside of their immediate household indoors without masks.
- Continue with strong Thanksgiving messaging; we need to protect those we are thankful for in our families and communities. Ensure indoor masking around vulnerable family members during any gatherings due to the significant amount of virus circulating and the high rate of asymptomatic and undiagnosed infections among family and community members.
- This is the first week where the rise in cases is less than previous weeks. COVID-related hospitalizations will continue in the coming weeks; however, with increased strong mitigation cases could decline to the yellow zone within 4 to 5 weeks, like in states that strongly mitigated during the summer surge.
- Expand public health messaging across all media platforms, including SMS auto-texting, to warn citizens about the risks of social gatherings, advise people to avoid them, and reemphasize face coverings and social distancing. Specifically, recommend holding an event only with individuals within one's household and emphasize the risk of exposing an elderly person or someone with an underlying condition (diabetes, obesity, hypertension, chemotherapy, etc.) if gathering indoors without masks.
- Target antigen testing efforts to find the asymptomatic populations under 35 years. Incentivize testing to those populations.
- With nearly all counties in the red zone and nearly 60% of nursing homes with at least one positive staff member, mitigation and messaging needs to be further strengthened as other states have done. Effective practices to decrease transmission in public spaces include limiting restaurant indoor capacity to less than 25% and limiting bar hours until cases and test positivity decrease to the yellow zone.
- Ensure compliance with public health orders, including wearing masks.
- Conduct active testing in school for teachers and students where cases are increasing. In accordance with CDC guidelines, masks must be worn by students and teachers in K-12 schools. Consider pausing extracurricular school activities, even though athletics are not transmission risks, as the surrounding activities are where transmission is occurring.
- Stay vigilant with nursing home staff and residents; nearly 60% of nursing homes have COVID positive staff and over 30% have COVID positive residents, indicating unmitigated community spread. Ensure all nursing homes, assisted living, and elderly care sites have full testing capacity and are isolating positive staff and residents.
- New hospital admissions in Kansas are increasing across all age groups; investigate the rise in new admissions in those under 18 years old.
- Ensure all hospitals, including mid-level and rural, have expansion and contingency plans and up-to-date treatment protocols, including outpatient management; ensure all hospitals, public and private, have maximal access to medications, supplies, and staffing and are accurately reporting current status of each.
- Tribal Nations: Provide Abbot BinaxNOW tests to Tribal Nations to conduct weekly testing among all of those who live or work on the reservation. Weekly testing will immediately identify positives (asymptomatic and symptomatic), who will isolate and prevent further transmission to the community.
- Specific, detailed guidance on community mitigation measures can be found on the [CDC website](#).

The purpose of this report is to develop a shared understanding of the current status of the pandemic at the national, regional, state and local levels. We recognize that data at the state level may differ from that available at the federal level. Our objective is to use consistent data sources and methods that allow for comparisons to be made across localities. We appreciate your continued support in identifying data discrepancies and improving data completeness and sharing across systems. We look forward to your feedback.





KANSAS

STATE REPORT | 11.22.2020

	STATE, % CHANGE FROM PREVIOUS WEEK		FEMA/HHS REGION	UNITED STATES
	STATE	WEEK		
NEW COVID-19 CASES (RATE PER 100,000)	19,495 (669)	+8%	97,425 (689)	1,169,615 (356)
VIRAL (RT-PCR) LAB TEST POSITIVITY RATE	21.7%	-1.0%*	20.9%	10.5%
TOTAL VIRAL (RT-PCR) LAB TESTS (TESTS PER 100,000)	35,113** (1,205**)	-8%**	327,060** (2,313**)	10,032,677** (3,057**)
COVID-19 DEATHS (RATE PER 100,000)	156 (5.4)	+77%	638 (4.5)	9,981 (3.0)
SNFs WITH ≥1 NEW RESIDENT COVID-19 CASE	34%	+10%*	32%	22%
SNFs WITH ≥1 NEW STAFF COVID-19 CASE	57%	+9%*	60%	43%
SNFs WITH ≥1 NEW RESIDENT COVID-19 DEATH	9%	+0%*	10%	7%
TOTAL NEW COVID-19 HOSPITAL ADMISSIONS (RATE PER 100 BEDS)	2,031 (27)	+32% (+25%)	9,294 (25)	136,015 (19)

* Indicates absolute change in percentage points.

** Due to delayed reporting, this figure may underestimate total diagnostic tests and week-on-week changes in diagnostic tests.

DATA SOURCES – Additional data details available under METHODS

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes.

Cases and Deaths: State values are calculated by aggregating county-level data from USAFacts; therefore, the values may not match those reported directly by the state. Data is through 11/20/2020; previous week is 11/7 - 11/13.

Testing: CELR (COVID-19 Electronic Lab Reporting) state health department-reported data through 11/18/2020. Previous week is 11/5 - 11/11.

SNFs: Skilled nursing facilities. National Healthcare Safety Network. Data are reported separately for cases among residents and staff. Data is through 11/15/2020, previous week is 11/2-11/8. Facilities that are undergoing reporting quality review are not included in the table, but may be included in other NHSN analyses.


Admissions: Unified hospitalization dataset in HHS Protect. These data exclude psychiatric, rehabilitation, and religious non-medical hospitals. Hospitals explicitly identified by states/regions as those from which we should not expect reports were excluded from the totals. Totals include confirmed and suspected COVID-19 admissions.




KANSAS

STATE REPORT | 11.22.2020


NEW CASES



TESTING



TOP COUNTIES



DATA SOURCES – Additional data details available under METHODS

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes.

Cases: State values are calculated by aggregating county-level data from USAFacts; therefore, the values may not match those reported directly by the state. Data is through 11/20/2020.

Testing: CELR (COVID-19 Electronic Lab Reporting) state health department-reported data through 11/18/2020.




KANSAS


STATE REPORT | 11.22.2020

128 hospitals are expected to report in Kansas

HOSPITAL ADMISSIONS



HOSPITAL PPE SUPPLIES



DATA SOURCES – Additional data details available under METHODS

Hospitalizations: Unified hospitalization dataset in HHS Protect. These data exclude psychiatric, rehabilitation, and religious non-medical hospitals. Hospitals explicitly identified by states/regions as those from which we should not expect reports were excluded from the percent reporting figure.

PPE: Unified hospitalization dataset in HHS Protect. These data exclude psychiatric, rehabilitation, and religious non-medical hospitals. Hospitals explicitly identified by states/regions as those from which we should not expect reports were excluded from the percent reporting figure. Values presented show the latest reports from hospitals in the week ending 11/18/2020.



KANSAS

STATE REPORT | 11.22.2020

COVID-19 COUNTY AND METRO ALERTS*

Top 12 shown in table (full lists below)

METRO AREA (CBSA)

COUNTIES

LOCALITIES IN RED ZONE	21 ■ (+0)	Wichita Kansas City Topeka Hutchinson Garden City Manhattan Lawrence Emporia Dodge City Salina McPherson Winfield	94 ▲ (+10)	Sedgwick Johnson Shawnee Wyandotte Reno Finney Douglas Butler Riley Ford Lyon Harvey
	0 ■ (+0)	N/A	2 ▼ (-1)	Ottawa Chase
	0 ■ (+0)	N/A	1 ▼ (-2)	Rooks
Change from previous week's alerts:		▲ Increase	■ Stable	▼ Decrease

All Red CBSAs: Wichita, Kansas City, Topeka, Hutchinson, Garden City, Manhattan, Lawrence, Emporia, Dodge City, Salina, McPherson, Winfield, Hays, Great Bend, Pittsburg, Liberal, Ottawa, Parsons, Coffeyville, Atchison, St. Joseph

All Red Counties: Sedgwick, Johnson, Shawnee, Wyandotte, Reno, Finney, Douglas, Butler, Riley, Ford, Lyon, Harvey, Saline, Leavenworth, McPherson, Cowley, Ellis, Barton, Crawford, Seward, Nemaha, Brown, Franklin, Cloud, Norton, Sumner, Labette, Cherokee, Neosho, Jefferson, Dickinson, Miami, Marshall, Russell, Osage, Clay, Montgomery, Pratt, Atchison, Thomas, Jackson, Marion, Washington, Ellsworth, Pottawatomie, Geary, Grant, Wabaunsee, Doniphan, Allen, Gray, Rice, Republic, Bourbon, Pawnee, Kingman, Sherman, Phillips, Kearny, Scott, Stevens, Anderson, Linn, Wilson, Meade, Harper, Barber, Coffey, Mitchell, Sheridan, Stafford, Logan, Smith, Hodgeman, Ness, Gove, Rush, Wichita, Greenwood, Graham, Wallace, Cheyenne, Haskell, Hamilton, Edwards, Lane, Kiowa, Chautauqua, Lincoln, Stanton, Elk, Clark, Jewell, Comanche

* Localities with fewer than 10 cases last week have been excluded from these alerts.

Note: Lists of red, orange, and yellow localities are sorted by the number of new cases in the last 3 weeks, from highest to lowest. Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes.

DATA SOURCES – Additional data details available under METHODS

Cases and Deaths: State values are calculated by aggregating county-level data from USAFacts; therefore, the values may not match those reported directly by the state. Data is through 11/20/2020.


Testing: CELR (COVID-19 Electronic Lab Reporting) state health department-reported data through 11/18/2020.



Top 12 counties based on number of new cases in the last 3 weeks

— Daily COVID-19 Cases (7-day average) ■ Daily COVID-19 Cases

TOTAL DAILY CASES



DATA SOURCES – Additional data details available under METHODS

Cases: State values are calculated by aggregating county-level data from USAFacts; therefore, the values may not match those reported directly by the state. Data is through 11/20/2020. Last 3 weeks is 10/31 - 11/20.




KANSAS


STATE REPORT | 11.22.2020

CASE RATES AND VIRAL LAB TEST POSITIVITY


NEW CASES PER 100,000




VIRAL (RT-PCR) LABORATORY TEST POSITIVITY



NEW CASES PER 100,000 ONE MONTH BEFORE



VIRAL (RT-PCR) LABORATORY TEST POSITIVITY ONE MONTH BEFORE



DATA SOURCES – Additional data details available under METHODS

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes.


Cases: State values are calculated by aggregating county-level data from USAFacts; therefore, the values may not match those reported directly by the state. Data is through 11/20/2020. The week one month before is 10/17 - 10/23.

Testing: CELR (COVID-19 Electronic Lab Reporting) state health department-reported data through 11/18/2020. The week one month before is 10/15 - 10/21.



National Picture

NEW CASES PER 100,000



NATIONAL RANKING OF NEW CASES PER 100,000

National Rank	State
1	ND
2	WY
3	SD
4	MN
5	IA
6	NE
7	MT
8	WI
9	UT
10	NM
11	IN
12	KS
13	IL
14	RI
15	CO
16	AK
17	ID
18	MO
19	MI
20	OK
21	LA
22	TN
23	OH
24	KY
25	NV
26	AR
27	WV
28	CT
29	PA
30	AZ
31	NJ
32	DE
33	MS
34	TX
35	MA
36	MD
37	FL
38	AL
39	NC
40	SC
41	NH
42	CA
43	WA
44	NY
45	OR
46	VA
47	DC
48	GA
49	VT
50	ME
51	HI

Europe is experiencing a fall surge similar to the USA and is showing early signs of improvement through country-specific mitigation efforts.

- 80% (48/60 countries) require wearing masks in all public settings
 - Most countries have imposed fines for non-compliance
- 93% (56/60) have significant restrictions on gathering size
- 63% (38/60) have some form of nonessential business closures, initially focused on bars and reducing restaurant capacity
- 60% (37/60) have some form of entertainment or public space restriction
- 65% (39/60) have deployed a contact tracing app

DATA SOURCES

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes.

Cases: County-level data from USAFacts through 11/20/2020.


European community mitigation information sourced from European CDC — Situation Update Worldwide.




National Picture

NEW CASES PER 100,000 IN THE WEEK:


ONE MONTH BEFORE




TWO MONTHS BEFORE




THREE MONTHS BEFORE




FOUR MONTHS BEFORE



FIVE MONTHS BEFORE



SIX MONTHS BEFORE



DATA SOURCES

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes.


Cases: County-level data from USAFacts through 11/20/2020. The week one month before is 10/17 - 10/23; the week two months before is 9/19 - 9/25; the week three months before is 8/22 - 8/28; the week four months before is 7/25 - 7/31; the week five months before is 6/27 - 7/3; the week six months before is 5/30 - 6/5.



National Picture

VIRAL (RT-PCR) LAB TEST POSITIVITY

NATIONAL RANKING OF TEST POSITIVITY






National Rank	State	National Rank	State
1	MT	27	AZ
2	ID	28	SC
3	IA	29	AR
4	KS	30	CT
5	MO	31	VA
6	NE	32	NJ
7	OK	33	MD
8	UT	34	AK
9	SD	35	OR
10	NM	36	NC
11	IN	37	FL
12	NV	38	LA
13	TN	39	GA
14	MN	40	WV
15	WI	41	WA
16	WY	42	NH
17	IL	43	RI
18	MI	44	DE
19	ND	45	CA
20	KY	46	NY
21	TX	47	MA
22	CO	48	ME
23	OH	49	DC
24	MS	50	VT
25	AL	51	HI
26	PA		

VIRAL (RT-PCR) LAB TEST POSITIVITY IN THE WEEK:

ONE MONTH BEFORE

TWO MONTHS BEFORE

THREE MONTHS BEFORE



DATA SOURCES

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes.


Testing: Combination of CELR (COVID-19 Electronic Lab Reporting) state health department-reported data and HHS Protect laboratory data (provided directly to Federal Government from public health labs, hospital labs, and commercial labs) through 11/18/2020. The week one month before is 10/15 - 10/21; the week two months before is 9/17 - 9/23; the week three months before is 8/20 - 8/26.



National Picture

NEW DEATHS PER 100,000

NATIONAL RANKING OF NEW DEATHS PER 100,000






National Rank	State	National Rank	State
1	SD	27	NV
2	ND	28	OK
3	MT	29	KY
4	WY	30	CT
5	LA	31	SC
6	WI	32	NC
7	IL	33	AZ
8	NE	34	UT
9	NM	35	OH
10	AR	36	NJ
11	IA	37	FL
12	MN	38	MD
13	KS	39	GA
14	ID	40	DC
15	TN	41	VA
16	IN	42	OR
17	MI	43	NY
18	AL	44	WA
19	CO	45	DE
20	MS	46	CA
21	WV	47	ME
22	RI	48	NH
23	PA	49	VT
24	TX	50	AK
25	MA	51	HI
26	MO		

NEW DEATHS PER 100,000 IN THE WEEK:

ONE MONTH BEFORE

TWO MONTHS BEFORE

THREE MONTHS BEFORE



DATA SOURCES

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes.

Deaths: County-level data from USAFacts through 11/20/2020. The week one month before is 10/17 - 10/23; the week two months before is 9/19 - 9/25; the week three months before is 8/22 - 8/28.



METHODS

STATE REPORT | 11.22.2020

Metric	Dark Green	Light Green	Yellow	Orange	Light Red	Red	Dark Red
New cases per 100,000 population per week	≤4	5 – 9	10 – 50	51 – 100	101 – 199	200 – 499	≥500
Percent change in new cases per 100,000 population	≤-26%	-25% – -11%	-10% – 0%	1% – 10%	11% – 99%	100% – 999%	≥1000%
Diagnostic test result positivity rate	≤2.9%	3.0% – 4.9%	5.0% – 7.9%	8.0% – 10.0%	10.1% – 19.9%		≥20.0%
Change in test positivity	≤-2.1%	-2.0% – -0.6%	-0.5% – 0.0%	0.1% – 0.5%	0.6% – 2.0%		≥2.1%
Total diagnostic tests resulted per 100,000 population per week	≥2001	1001 – 2000	750 – 1000	500 – 749	250 – 499		≤249
Percent change in tests per 100,000 population	≥26%	11% – 25%	1% – 10%	-10% – 0%	-25% – -11%		≤-26%
COVID-19 deaths per 100,000 population per week	0.0		0.1 – 1.0	1.1 – 2.0	2.1 – 3.0		≥3.1
Percent change in deaths per 100,000 population	≤-26%	-25% – -11%	-10% – 0%	1% – 10%	11% – 25%		≥26%
Skilled Nursing Facilities with at least one resident COVID-19 case, death	0%		1% – 5%		≥6%		
Change in SNFs with at least one resident COVID-19 case, death	≤-2%		-1% – 1%		≥2%		
Total new COVID-19 hospital admissions per 100 beds	≤2	3 – 5	6 – 10	11 – 20	21 – 30		≥31
Change in total new COVID-19 hospital admissions per 100 beds	≤-26%	-25% – -11%	-10% – 0%	1% – 10%	11% – 25%		≥26%

- Some dates may have incomplete data due to delays and/or differences in state reporting. Data may be backfilled over time, resulting in week-to-week changes. It is critical that states provide as up-to-date data as possible. Figures and values may also differ from state reports due to differing methodologies.
- Color threshold values are rounded before color classification.
- **Cases and deaths:** County-level data from USAFacts as of 19:25 EST on 11/22/2020. State values are calculated by aggregating county-level data from USAFacts. Data are reviewed on a daily basis against internal and verified external sources and, if needed, adjusted.
- **Testing:** The data presented represent viral COVID-19 laboratory diagnostic and screening test (reverse transcription polymerase chain reaction, RT-PCR) results—not individual people—and exclude antibody and antigen tests, unless stated otherwise. CELR (COVID-19 Electronic Lab Reporting) state health department-reported data are used to describe county-level viral COVID-19 RT-PCR result totals when information is available on patients’ county of residence or healthcare providers’ practice location. HHS Protect laboratory data (provided directly to Federal Government from public health labs, hospital labs, and commercial labs) are used otherwise. Because the data are deidentified, total RT-PCR tests are the number of tests performed, not the number of individuals tested. RT-PCR test positivity rate is the number of positive tests divided by the number of tests performed and resulted. Last week data are from 11/12 to 11/18; previous week data are from 11/5 to 11/11; the week one month before data are from 10/15 to 10/21. HHS Protect data is recent as of 12:03 EST on 11/22/2020. Testing data are inclusive of everything received and processed by the CELR system as of 19:00 EST on 11/21/2020.
- **Hospitalizations:** Unified hospitalization dataset in HHS Protect. These data exclude psychiatric, rehabilitation, and religious non-medical hospitals. In addition, hospitals explicitly identified by states/regions as those from which we should not expect reports were excluded from the percent reporting figure. The data presented represents raw data provided; we are working diligently with state liaisons to improve reporting consistency. Data is recent as of 18:06 EST on 11/22/2020.
- **Hospital PPE:** Unified hospitalization dataset in HHS Protect. This figure may differ from state data due to differences in hospital lists and reporting between federal and state systems. These data exclude psychiatric, rehabilitation, and religious non-medical hospitals. Hospitals explicitly identified by states/regions as those from which we should not expect reports were excluded from the percent reporting figure. Data is recent as of 18:25 EST on 11/21/2020.
- **Skilled Nursing Facilities:** National Healthcare Safety Network (NHSN). Data report resident and staff cases independently. Quality checks are performed on data submitted to the NHSN. Data that fail these quality checks or appear inconsistent with surveillance protocols may be excluded from analyses. Data presented in this report are more recent than data publicly posted by CMS. Last week is 11/9-11/15, previous week is 11/2-11/8. Facilities that are undergoing reporting quality review are not included in the table, but may be included in other NHSN analyses.
- **County and Metro Area Color Categorizations**
 - **Red Zone:** Those core-based statistical areas (CBSAs) and counties that during the last week reported both new cases at or above 101 per 100,000 population, and a lab test positivity result at or above 10.1%.
 - **Orange Zone:** Those CBSAs and counties that during the last week reported both new cases between 51–100 per 100,000 population, and a lab test positivity result between 8.0–10.0%, or one of those two conditions and one condition qualifying as being in the “Red Zone.”
 - **Yellow Zone:** Those CBSAs and counties that during the last week reported both new cases between 10–50 per 100,000 population, and a lab test positivity result between 5.0–7.9%, or one of those two conditions and one condition qualifying as being in the “Orange Zone” or “Red Zone.”